



EU Type Examination Certificate

Date: 2024/08/05

n. **525243201/OE**

Validity: 2029/08/04

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: **LEATT CORPORATION**
(Responsible of the PPE) 12, Kiepersol Cresc., Atlas Gardens – Contermanskloof – DURBANVILLE – ZA-7550 CAPE TOWN – SOUTH AFRICA

Type of PPE: **Motorcyclist's protective clothing: JACKET**

Category of PPE: **II : "medium" risks.**
This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.

Model **"Jacket ADV Multitour 5.5 WOMEN"**
2 COLOURWAYS:
col. STEALTH – part nrs **5025102140 to -146 +** col. IRON – part nrs **5025102150 to -156**

Description:

Description of the colour variant: **IRON (*)**:

IRON – FRONT:



REAR:



(*) Other COLORWAYS:
- STEALTH

FOR PICTURES: see p.2-3.

external side:

- black fabric (MTM2424); - shark skin fabric (MTM2424-D); - oyster mushrooms fabric (MTM2424-G); - oyster mushrooms fabric (MTM2619-PU600-G); - red fabric (MTM2619-PU600-R); - black stretch fabric (MTM3813); - black neoprene (MTN0001);

internal side:

- black stretch fabric (MTM3813); - black neoprene (MTN0001); - black fleece (MTM0082); - black fabric (MTM0010A-C0); - black stretch lycra (MTM0081A); - black fabric (ACW0419); - dark grey perforated mesh (MTM0078); - black fabric (MTM4172-3L(20K/20K);

mid-layer: black fabric (MTM2442);

removable lining (waterproof): attached to the jacket by means of buttons:

- black fabric coupled with white membrane and black knit (MTM4172-3L(20K/20K) and black stretch lycra (MTM0081A), fastened by means of a zipper;

removable lining (thermal): attached to the jacket by means of buttons:

- black fabric (MTM3550) quilted with white wadding (ACS0116 / ACS0042) and black perforated mesh (MTM3995);

main fastening system: by means of a zipper covered by a flap with hook and loop closure;

sleeve and wrist closure: by means of a strap with hook and loop closure;

external pockets:

- oyster mushrooms fabric (MTM2424-G) and black fabric (MTL0018) fastened by means of a flap with hook and loop closure; - oyster mushrooms fabric (MTM2424-G) and black fleece (MTM0082); - oyster mushrooms fabric (MTM2424-G), black hard mesh (MTM1338), black fabric (MTL0018) and dark grey perforated mesh (MTM0078) fastened by means of a zipper covered by a flap with hook and loop closure;

internal pockets: black fabric (MTM0010A-C0) and black fabric (MTL0018) fastened by means of a zipper;

protectors pocket:

- shoulder: black 3D mesh (MTM0066) and dark grey perforated mesh (MTM0078) fastened by means of hook and loop closure; - elbow: black fabric (MTM2442) and black 3D mesh (MTM0066) fastened by means of an external zipper; - back: dark grey perforated mesh (MTM0078) fastened by means of a zipper; - chest: dark grey perforated mesh (MTM0078) fastened by means of a hook and loop closure;

vents: black hard mesh (MTM1338) fastened by means of a zipper.

Certified protectors inserted in the garment – ALL by **Leatt Corporation**:

Shoulder (mandatory): art. **3DF-016-L/R** - S type A (red)

Elbow (mandatory): art. **3DF-015-L/R** - E type A (red)

Back (optional): art. **3DF-026** - FB with WS: 51-54 cm / 55-59 cm (acc.to jacket size – red)

Chest (optional): art. **3DF-031-A** - DC type A (red).

Technical Standard: **EN ISO 13688:2013** Protective clothing – general requirements
EN 17092-3:2020 Protective garments for motorcycle riders – Part 3:
Class AA garments – Requirements





EU Type Examination Certificate

Date: 2024/08/05

n. **525243201/OE**

Validity: 2029/08/04

Intended use: Motorcycling: preventive use – correct fitting and positioning of the inner protections are essential.

Size range: WOMEN's international alpha-sizes: **XS to 3XL** (EU 34 – EU 46)

Technical File: **DC-19009/E**

Test report: **RCT n°4326016/E**

Functions and performance levels: The garment offers limited protection against mechanical risks arising from impact and abrasion in case of a fall while participating in motorcycling activities.

This PPE item has reached the following performance:

Class AA(*): Class AA garments offer protection from impact and abrasion against the risks of the greatest diversity of riding activities and may have lower ergonomic and weight penalties than Class AAA garments.


(*) The Standard provides different classes of protection for garments including protectors/shells: AAA (highest class), AA (middle class) and A (lowest class); class B is for garments not including protectors / shells = just abrasion protection; class C is for impact protector ensemble garments.

NOTES: the protection provided also depends on the correct fit of the garment; the CE-Certified incorporated impact protectors provide strengthened protection and must be kept in their place: this falls within the responsibility of the user.

Marking:

printed on several label stitched to the protector and displaying the following info:

- **CE Marking**;
- Name/Logo of the Manufacturer + complete address (Headquarters + European / Worldwide distributors);
- item designation (commercial name);
- pictogram for motorcycling use, with indication of the protector type and size as well as the overall performance level achieved during laboratory tests + nr. and year of the Technical Standard of reference;
- the "i in the booklet" pictogram inviting the user to read the User Manual;
- size (international alpha-sizes); warnings, care symbols and other additional infos.



IRON – FRONT:



REAR:





EU Type Examination Certificate

Date: 2024/08/05

n. **525243201/OE**

Validity: 2029/08/04

STEALTH – FRONT:



REAR:



Inner jacket – FRONT:



CARE LABEL



COLD MACHINE WASH
DO NOT BLEACH
DO NOT TUMBLE DRY
DRIP LINE DRY IN THE SHADE
DO NOT IRON
DO NOT DRY CLEAN

NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.
The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

