

EU TYPE-EXAMINATION CERTIFICATE

n. EC: **23-0024**

In realisation of the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9th of March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

DOLOMITICERT SCARL

authorised by the Ministry of Economic Development and by the Ministry
of Labour and Social Policies with the decree issued in date 11th March 2021
NOTIFIED BODY IDENTIFICATION NUMBER: 2008

considered the application for EU type-examination no. **230044** , presented in date **13/02/2023**

CERTIFIES THAT

the following personal protective equipment model

Protective footwear for motorcycle riders

Boot 4.5 HydraDri

presented by

LEATT® CORPORATION (South Africa)

No. 12 Kiepersol Crescent, Atlas Gardens - 7550 Durbanville Cape Town - South Africa

results to be in conformity with the applicable essential requirements included into Annex II of the Regulation (EU) 2016/425 dated 9th of March 2016.

The description of the personal protective equipment model, the normative reference, the verification results and the description of the CE marking on the equipment are described on page 2. 3 .4 of the present document.

First issue date: **17/02/2023**

Renewal or revision date: **/**


Expiration date: **16/02/2028**

Longarone, **17/02/2023**

This document consists of no. 4 numbered pages.

The Director of the Notified Body

(Luca Tamburlin)



1. Description of the Personal Protective Equipment

Type of PPE: Protective footwear for motorcycle riders

Reference Standard: EN 13634:2017 - "Protective footwear for motorcycle riders - Requirements and test methods"

Footwear size:	EU 40.5	EU 44.5	EU 48
Footwear length (mm):	293	325	345
Footwear width (mm):	107	115	120,5
Footwear height (mm):	390	420	445
Footwear weight - Half pair (g):	1900	2100	2300

Product designation: Boot 4.5 HydraDri

Variants: Two colour variants provided: "Boot 4.5 HydraDri Cactus" (colour green) and "Boot 4.5 HydraDri Graphene" (colour dark grey).

Trade mark: LEATT

PPE category: II

PPE description and notes: The protective footwear for motorcycles riders model "Boot 4.5 HydraDri" is produced in the following sizes: 40.5-42-43-44.5-45.5-47-48 (European sizes) or 7-8-9-10-11-12-13 (United States sizes). The device is closed in the lateral external part by means of four buckles and in the upper part of the shin by means of a velcro strap. Upper of the device made by PU microfiber, PU leather, PU stretch and suede leather; lining made by textile mesh + foam + TPU film + nylon; collar (gaiter) made by Lycra + NBR foam; outsole made by vulcanized rubber (code SOL20), insole made by non-woven material (code VH125NW) and insock made by textile mesh + EVA foam (code FBL19). This footwear is specifically designed for motorcycle and motocross activities.

Manufacturer's name: LEATT® CORPORATION (South Africa)


Manufacturer's address: No. 12 Kiepersol Crescent, Atlas Gardens - 7550 Durbanville Cape Town - South Africa

Authorised Representative's name: /

Authorised Representative's address: /

Certificate's holder: LEATT® CORPORATION (South Africa)

Holder's address: No. 12 Kiepersol Crescent, Atlas Gardens - 7550 Durbanville Cape Town - South Africa



2. Levels of protection offered by the personal protective equipment

Applicable Standards:

EN 13634:2017 "Protective footwear for motorcycles riders - Requirements and test methods"

/

/

The protection equipment Boot 4.5 HydraDri

is in conformity with the basic requirements provided by the standard(s) of reference for the particular fields of utilization the device is addressed to.

EN 13634:2017 and /

Moreover, the protection equipment is in conformity with the specific requirements provided by the connected norm for the particular fields of utilization the device is addressed to:

/

The performance characteristics of the protection equipment are:

Height of upper level = 2

Upper impact abrasion resistance level = 1

Upper impact cut resistance level = 2


Transverse rigidity of the whole footwear level = 2

No optional requirements claimed.

3. Test results and test examinations are covered by the following test reports:

Dolomitcert Scarl	221915	14/11/2022
Dolomitcert Scarl	221553	14/10/2022
Dolomitcert Scarl	220616	28/04/2022
Dolomitcert Scarl	200509	01/09/2020
Dolomitcert Scarl	200474	01/04/2020
Dolomitcert Scarl	190853	12/06/2019
Dolomitcert Scarl	190852	12/06/2019
Dolomitcert Scarl	190395	05/04/2019
Certottica Scrl	226661	10/11/2022
Certottica Scrl	221622	06/04/2022
Certottica Scrl	193736	30/05/2019
Certottica Scrl	191433	10/04/2019



4. Marking**PO216635 - M06 - 2022 B)**

Placement of the marking: Two labels stitched in the visible part of the lining.

5. Declaration for category III personal protective equipment

For category III PPE, this EU Type-Examination Certificate shall be used only in combination with one of the evaluation procedures in accordance with Article 19, letter c), of the Regulation (EU) 2016/425

Applicability for the product covered by this EU Type-Examination Certificate:

NO**Terms and conditions under which the Certificate is issued**

- a) Marking and instructions were examined in English. Language versions other than the one specified above are under the complete responsibility of the Manufacturer or of his Authorised Representative.
- b) Any variation to the product, to the technical file or, in the provided cases, to the manual or to the quality control procedures, shall be notified in time to DOLOMITICERT.
- c) The Manufacturer or his Authorised Representative shall respect the procedures and the regulations provided by DOLOMITICERT for the EU Certification.
- d) Copies of this Certificate, supplied to third parties, shall be reproduced in their entirety.
- e) The present Certificate shall be carefully kept by the Manufacturer to be shown, on request, to the Organism of control or to the Vigilance Administration.
- f) The present Certificate remains property of DOLOMITICERT, which can ask for it back if some of the above mentioned conditions are not respected.
- g) Any subsequent revision of the present document automatically deletes and replaces it.
- h) The present document can include only a limited description of the product under certification; for a more detailed description, please refer to the correspondent Technical Documentation.