

EU TYPE-EXAMINATION CERTIFICATE

n. EC: 19-0181Rev.5

In realisation of the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9th of March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

DOLOMITICERT SCARL

authorised by the Ministry of Economic Development and by the Ministry
of Labour and Social Policies with the decree issued in date 11th March 2021
NOTIFIED BODY IDENTIFICATION NUMBER: 2008

considered the application for EU type-examination no. 240173 presented in date 21/05/2024

CERTIFIES THAT

the following personal protective equipment model

Protective footwear for motorcycle riders

Boot 5.5 FlexLock

presented by

LEATT® CORPORATION (South Africa)

No. 12 Kiepersol Crescent, Atlas Gardens - 7550 Durbanville Cape Town - South Africa

results to be in conformity with the applicable essential requirements included into Annex II of the Regulation (EU) 2016/425 dated 9th of March 2016.

The description of the personal protective equipment model, the normative reference, the verification results and the description of the CE marking on the equipment are described on page 2. 3 .4 of the present document.

First issue date: 19/07/2019

Renewal or revision date: 07/06/2024

Expiration date: 06/06/2029

Longarone, 07/06/2024

The Director of the Notified Body

(Luca Tamburino)



This document consists of no. 4 numbered pages.

1. Description of the Personal Protective Equipment

| | | | |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|
| Type of PPE: | Protective footwear for motorcycle riders | | |
| Reference Standard: | EN 13634:2017 - "Protective footwear for motorcycle riders - Requirements and test methods" | | |
| Footwear size: | 40.5 | 44.5 | 48 |
| Footwear length (mm): | 293 | 325 | 345 |
| Footwear width (mm): | 107 | 115 | 120,5 |
| Footwear height (mm): | 372 | 405 | 425 |
| Footwear weight - Half pair (g): | 1803 | 2089 | 2225 |
| Product designation: | Boot 5.5 FlexLock | | |
| Variants: | Nineteen variants provided: Blk (colour black), Aqua (colour blue), Graphene (colour red/grey), Fuel (colour teal), Red (colour red), Tiger (colour white/red/green), Wht (colour white), Cyan (colour blue/white), Citrus (colour orange/green), Forge (colour grey/red), Orange (colour orange), Cheetah (colour curacao), Enduro Graphene (colour black/grey), Enduro Cactus (colour orange/grey), Enduro JW22 (colour grey/white), Enduro JW22 (updated) (colour red/grey), Enduro Copper (colour copper/black), Enduro Orange (colour orange/grey) and Enduro White (colour white/grey). | | |
| Trade mark: | LEATT | | |
| PPE category: | II | | |
| PPE description and notes: | <p>The protective footwear for motorcycles riders model "Boot 5.5 FlexLock" is provided in the following sizes: 40.5-42-43-44.5-45.5-47-48 (European sizes) or 7-8-9-10-11-12-13 (United States sizes). The device is closed in the lateral part by means of buckles and a velcro strap. Upper of the device made by PU microfiber; lining made by textile + foam, microfiber and PU stretch; outsole made by vulcanized rubber (code SOL19 and SOL20 for Enduro variants), insole made by non-woven material and PP (code KKPP) and insock made by textile mesh + EVA (code FBL19). Enduro variants differ from the others, as well as for the colour, for a different sole pattern.</p> <p>The present EU Type-Examination Certificate is the fifth revision of the previous one issued by Dolomiticert Scarl in date 19/07/2019 with number EC 19-0181. The present revision considers the change of the main material of the external upper for the existing variants, the introduction of three new variants (Orange, Cheetah and Enduro White), the removal from the certification scopes of three variants (Royal, Wht/Blk and United) and the renewal of the certificate.</p> | | |
| Manufacturer's name: | LEATT® CORPORATION (South Africa) | | |
| Manufacturer's address: | No. 12 Kiepersol Crescent, Atlas Gardens - 7550 Durbanville Cape Town - South Africa | | |
| Authorised Representative's name: | / | | |
| Authorised Representative's address: | / | | |
| Certificate's holder: | LEATT® CORPORATION (South Africa) | | |
| Holder's address: | No. 12 Kiepersol Crescent, Atlas Gardens - 7550 Durbanville Cape Town - South Africa | | |

**Boot 5.5 Flexlock Blk****Normal versions****Enduro versions**

2. Levels of protection offered by the personal protective equipment

Applicable Standards:

EN 13634:2017 "Protective footwear for motorcycles riders - Requirements and test methods"

/

/

The protection equipment Boot 5.5 FlexLock

is in conformity with the basic requirements provided by the standard(s) of reference for the particular fields of utilization the device is addressed to.

EN 13634:2017 and /

Moreover, the protection equipment is in conformity with the specific requirements provided by the connected norm for the particular fields of utilization the device is addressed to:

/

The performance characteristics of the protection equipment are:

Height of upper level = 2

Upper impact abrasion resistance level = 1

Upper impact cut resistance level = 2

Transverse rigidity of the whole footwear level = 2


No optional requirements claimed.

3. Test results and test examinations are covered by the following test reports:

| | | |
|-------------------|--------|------------|
| Dolomitcert Scarl | 231834 | 11/12/2023 |
| Dolomitcert Scarl | 231833 | 11/12/2023 |
| Dolomitcert Scarl | 200474 | 01/04/2020 |
| Dolomitcert Scarl | 200164 | 25/02/2020 |
| Dolomitcert Scarl | 190853 | 12/06/2019 |
| Dolomitcert Scarl | 190852 | 12/06/2019 |
| Dolomitcert Scarl | 190395 | 05/04/2019 |
| Certottica Scrl | 193736 | 30/05/2019 |
| Certottica Scrl | 191434 | 10/04/2019 |



4. Marking



PO216635 - M06 - 2022 B)

Placement of the marking: Two labels stitched in the visible part of the lining.

5. Declaration for category III personal protective equipment

For category III PPE, this EU Type-Examination Certificate shall be used only in combination with one of the evaluation procedures in accordance with Article 19, letter c), of the Regulation (EU) 2016/425

Applicability for the product covered by this EU Type-Examination Certificate:

NO

Terms and conditions under which the Certificate is issued

- Marking and instructions were examined in English. Language versions other than the one specified above are under the complete responsibility of the Manufacturer or of his Authorised Representative.
- Any variation to the product, to the technical file or, in the provided cases, to the manual or to the quality control procedures, shall be notified in time to DOLOMITICERT.
- The Manufacturer or his Authorised Representative shall respect the procedures and the regulations provided by DOLOMITICERT for the EU Certification.
- Copies of this Certificate, supplied to third parties, shall be reproduced in their entirety.
- The present Certificate shall be carefully kept by the Manufacturer to be shown, on request, to the Organism of control or to the Vigilance Administration.
- The present Certificate remains property of DOLOMITICERT, which can ask for it back if some of the above mentioned conditions are not respected.
- Any subsequent revision of the present document automatically deletes and replaces it.
- The present document can include only a limited description of the product under certification; for a more detailed description, please refer to the correspondent Technical Documentation.

