# DOLOMITICERT\*

## **DOLOMITICERT SCARL**

Authority for the certification of personal protective equipment
Zona Industriale Villanova 7/A
32013 Longarone (BL) Italy

Tel.: ++39 437 573407 Fax: ++39 437 573131 E-Mail: info@dolomiticert.it - Web: www.dolomiticert.it



PRD Nº 1468

Membro degli accordi di Mutuo Riconoscimento EA, IAF, e ILAC

Signatory of EA, IAF, and ILAC Mutual Recognition Agreements

# **EU TYPE-EXAMINATION CERTIFICATE**

n. EC:

24-0141

In realisation of the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9<sup>th</sup> of March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

# **DOLOMITICERT SCARL**

NOTIFIED BODY IDENTIFICATION NUMBER: 2008

considered the application for EU type-examination no.

240253

, presented in date

26/07/2024

## **CERTIFIES THAT**

the following personal protective equipment model

Protective footwear for motorcycle riders

Boot ADV HydraDri 7.5 Short

presented by

# **LEATT® CORPORATION (South Africa)**

No. 12 Kiepersol Crescent, Atlas Gardens - 7550 Durbanville Cape Town - South Africa

results to be in conformity with the applicable essential requirements included into Annex II of the Regulation (EU) 2016/425 dated 9<sup>th</sup> of March 2016.

The description of the personal protective equipment model, the normative reference, the verification results and the description of the CE marking on the equipment are described on page 2. 3 .4 of the present document.

First issue date:

02/08/2024

Renewal or revision date:

1

The Director of the Notified Bo

Expiration date:

01/08/2029

(Luca Tambutin)

Longarone

Longarone,

02/08/2024

This document consists of no. 4 numbered pages.

#### 1. Description of the Personal Protective Equipment

Type of PPE:

Protective footwear for motorcycle riders

24-0141

Reference Standard:

Footwear length (mm):

Footwear width (mm):

Footwear height (mm):

Product designation:

EN 13634:2017 - "Protective footwear for motorcycle riders -

Requirements and test methods"

Footwear size:

EU 38 (US5) EU 40.5 (US7) EU 44.5 (US10) EU 48 (US13) 320 365 280 310 110 120 100 105 290 300 270 280 995 1100 1260

Footwear weight - Half pair (g):

864 995 1 Boot ADV HydraDri 7.5 Short

Variants:

Two colour variants provided: "Boot ADV HydraDri 7.5 Short Stealth" (colour black) and "Boot ADV HydraDri 7.5 Short Desert" (colour brown).

Trade mark:

LEATT

PPE category:

- II

PPE description and notes:

For footwear components description refer to the picture below.

The protective footwear for motorcycles riders' model "Boot ADV HydraDri 7.5 Short" is provided in the following sizes: 38-39-40.5-42-43-44.5-45.5 -47-48 (European sizes) or 5-6-7-8-9-10-11-12-13 (United States sizes). This device is closed in the lateral external part by means of two buckles, equipped with a micrometric regulation, and a Velcro strap. This footwear

is specifically designed for motorcycle and motocross activities.

Manufacturer's name:

LEATT® CORPORATION (South Africa)

Manufacturer's address:

No. 12 Kiepersol Crescent, Atlas Gardens - 7550 Durbanville Cape Town - South Africa

Authorised Representative's name: /
Authorised Representative's address: /

Certificate's holder:

LEATT® CORPORATION (South Africa)

Holder's address:

No. 12 Kiepersol Crescent, Atlas Gardens - 7550 Durbanville Cape Town - South Africa







DOLOS, (GPS-1694		SATESAL SESSOON	NORMA.	TERREPORT AND THE		( mit	
in saidh	Dealer	military manager		Principle (	e PDD.	10	
Black	Brown	1860 Smither	1.1-7. fee to be Wood schools caudide	lower ment overter	ML49 79	ĺ	
Black.	Brown	1895 Leeber	1.1-2.5mm bater Priori MUNIUL. LINCOMP	Leberal rain parter	MLM*59	ľ	
Black	BPInF	(MK Leather	1,8-2. See taiter Proof #68800 LEATHER	Back counter from	Rolaf Sile		
Black	Bean	Taker (1994)-1-	1.1-7.1- taker Proof 100000 Lawrence	Dack call Frame	Number 1		
Black.	firem	EARC Linester	1.8-2.89- MALEY POOF REPORT	Stin Flyn from	BLOOM		
#Lards	90,600	65% Malora 55% Palparet Nate	1, mm. Microfilter	Imper Panel	Seed at	ŀ	
March	Bridgers .	65% Mylpro-USE Palparethera	1. Beer Microsition	iger Ballies	special se		
Black.	Teac	645 million SSE Pulps rethans	Later Hirrorthey Saltic	Coller	CPP-62	ŀ	
#Garde	10 acres	SANC My Town USE Palps retible a	3.3m Super filter pe	Frant Selline	10000m7	l	
Black.	Mark.	Set in larger the extense than a	3.3mm Super filter pe	Japan Salitas		ł	
Black	stack	SHE DETASKE PASSACREE	25a St. pa et. 2004 b. See	Catherial Bellian	UPPORTS	t	
			spangezing ti/c	pronted market	servers .		
63466	skiner	SEE gives tooks + 38 % but multi-risk find - 39% unblan +	26 reflec Pile pipping (25 torms)	Seck curlies	619025	ı	
		SEE polymeter	0000			ı	
#Gech	SChool:	SEE PERSONS Polyacter	Stigl Political en	Speigr Frank Ballium	SPECIAL .		
BOardy	Mack	SES PERVISES PROJECTION	Statt Po 6.7 sa	Under Smer Bill Six	UPTOR/T		
Mach _	Mact	SAC PATHOLIC Pulges Law	ziadi. Per n. 2 mm	Brater Sacr Ballam	0290,674		
Sinch	March.	1865 Palyester	7180 actuallys	trader prieral Brillian	LEAD		
Mich	süact	UPC PATHODIC PASSAGER	3.399 pu	Yerry Televil	ALLEGES .		
#Creck	Black	SEC PROVINE Pulganter	itaS pule, le	Vacce	0640034		
Stant	space	1883 Notice Speci	velore Loss	Velico Less	GENERAL		
60ech	Black	1960 Dylus.	sedara stan addition to stock	Well you Pleak	URSAS.	J	
80404	BAX	1890. Prügester	nerow)no-ender (vened 63 bit-enter proof never se -0.037/K	Imar Halag	L CLOSER		
NACC	MACK	1865 Pulyesiler	мусифас-назак (намей 125-ната» роски мина из назај К	Orter States	LIMPHH		
BUICE	BLACK	1862 Polyester	proof seems +hig?/C	Name Living	L Darries	ı	
EACO	BLACE	(86% Polyeo'se'	measperra/esselaneidg c/c	Coller Linkel	1364	l	
BLACK	8,900	1997 Polyamy Person	Ten Physics 107 Folia	From Belding peopling	entrops :		
BLACK	PLACE.	1698 Polyanartheau	See FF 12800 DFF HORS	been Gellieu peelting	2020		
BURCO	0.000	1889 Polyger strikening	15m DF HORR	Lapural Bellion periding	PAVSI I		
MEAST.	0.000	poor Polymenthum	15mm D*F FORM	Inner Selfor Parking	PM/30 1		
mixed	BLECK	1995. Polymer/share	18m Dr Hatt	Collier positing	Pulcali .		
BEACE	FARE	1600. Pel-yerwihare	See PL 1984	Stdn Flate Patellag	750400		
BUACK	11800	160% Polyworthists	Sree PE FBAR	Artis pelctra	PANES		
ton Trans							
ch clause willbe	Stock /femants	The prime	Below TANTA				
				50000000		ĺ	
A. L.L.	MOLE	1840 FF	Jam PP	depositing leader	Har	ĺ	
BLACE	B Ladro	State Sweet	phider stael	Shank	9555		
p. 5546C	200 (0 30.5	1845 PA				ŀ	
BW 425		1004 114				ĺ	
1 × 1 1	POTE	THE IN	Nr. (Nachaso 28) Bulant TANBA Jan PP	Microle Danielle descripting insule	MAN SANAN		

#### 2. Levels of protection offered by the personal protective equipment

Applicable Standards:

EN 13634:2017 "Protective footwear for motorcycles riders - Requirements and test methods" /

The protection equipment Boot ADV HydraDri 7.5 Short

is in conformity with the basical requirements provided by the standard(s) of reference for the particular fields of utilization the device is addressed to.

EN 13634:2017 and

Moreover, the protection equipment is in conformity with the specific requirements provided by the connected norm for the particular fields of utilization the device is addressed to:

The performance characteristics of the protection equipment are:

Height of upper level = 2

Upper impact abrasion resistance level = 1

Upper impact cut resistance level = 2


Transverse rigidity of the whole footwear level = 2

No optional requirements claimed.

### 3. Test results and test examinations are covered by the following test reports:

240971	25/07/2024
240970	25/07/2024
240969	25/07/2024
231754	17/11/2023
231416	06/10/2023
231415	06/10/2023
230853	21/06/2023
230852	21/06/2023
211000	01/07/2021
210999	02/07/2021
210023	01/02/2021
190852	12/06/2019
235205	22/09/2023
235204	22/09/2023
233210	09/06/2023
213876	22/06/2021
210060	21/01/2021
	240970 240969 231754 231416 231415 230853 230852 211000 210999 210023 190852 235205 235204 233210 213876





PO216635 - M06 - 2022

Placement of the marking: Two labels stitched in the visible part of the lining.

#### 5. Declaration for category III personal protective equipment

For category III PPE, this EU Type-Examination Certificate shall be used only in combination with one of the evaluation procedures in accordance with Article 19, letter c), of the Regulation (EU) 2016/425

Applicability for the product covered by this EU Type-**Examination Certificate:** 

NO

#### Terms and conditions under which the Certificate is issued

- a) Marking and instructions were examined in English, Language versions other than the one specified above are under the complete responsibility of the Manufacturer or of his Authorised Representative.
- b) Any variation to the product, to the technical file or, in the provided cases, to the manual or to the quality control procedures, shall be notified in time to DOLOMITICERT.
- c) The Manufacturer or his Authorised Representative shall respect the procedures and the regulations provided by DOLOMITICERT for the EU Certification.
- d) Copies of this Certificate, supplied to third parties, shall be reproduced in their entirety.
- e) The present Certificate shall be carefully kept by the Manufacturer to be shown, on request, to the Organism of control or to the Vigilance Administration.
- f) The present Certificate remains property of DOLOMITICERT, which can ask for it back if some of the above mentioned conditions are not respected.
- g) Any subsequent revision of the present document automatically deletes and replaces it from the date of issue (start of validity) of the revised certificate.
- h) The present document can include only a limited description of the product under certification; for a more detailed description, please refer to the correspondent Technical Documentation.

Pag. 4 of 4